

Wireless **TourGuide** System



Add more value to your guided tour:

- Brilliant voice transmission quality
- No more missing information even in loud environment
- Unlimited group size
- Operating range up to 150 m
- Also suitable for hearing impaired people
- Satisfied customers



MEDER TravelGuide

UHF technology – tour guide and interpreter system



TravelGuide Transmitter

- 15 channels
- Adjustable microphone sensitivity
- Battery or accumulator operation (Mignon AA)
- Optical battery status monitoring
- Socket for external microphones or sound sources

Accessories



Earphones

Hygienic single earphone with utmost wearing comfort. Lightweight: approx. 15 g only



Messenger Bag

Lightweight with shoulder strap for 32 devices and accessories



Head set microphone

Sound-absorbing microphone with connecting plug for **TravelGuide** – for hands-free use



Charging station

Stackable desktop housing With 19" slide-in compartments for 10 to 40 receivers and up to max. 4 transmitters



Carrying and storage case

For 20 or 40 devices incl. accessories



Charging case

For charging, transporting and storing of 30 receivers, 2 transmitters and accessories

Characteristics

Outstanding transmission performance

- No interferences – no hiss

Multilingual meeting and conferences

- 15 channels simultaneously operational

Guided tours for groups at high noise levels

- Extreme sound-absorbing microphones

Tourist parties, trade fairs and museums

- Whisper microphone, adjustable sensitivity

Occasional or regular use

- Choose between battery and accumulator operation (Mignon AA)
- Standard battery or accumulator use

Low maintenance requirement

- Hygienic earpiece
- 5 years of factory warranty

User friendly

- High wearing comfort
- Simple use








TravelGuide Receiver

- 15 channels
- Battery or accumulator operation
- Optical battery monitoring
- Combination socket for switching-on/-off via earpiece

Technical details

	TravelGuide Transmitter 	TravelGuide Receiver 
Registration	EC registration	EC registration
Frequency range	from 863 to 865 MHz	from 863 to 865 MHz
Settings	Miniature rotary switch for 15 channels	Miniature rotary switch for 15 channels
Power supply	Batteries/accumulators, 2 units LR6 (Mignon AA)	Batteries/accumulators, 2 units LR6 (Mignon AA)
Antenna	integrated	integrated
Sockets	Socket for external microphones or sound sources	Combination socket for switching-on/-off via earpiece
Operating life of battery	Up to 35 hours, with optical status indication	Up to 35 hours, with optical status indication
Earphones		Hygienic single earphone; possible use of commercially available ear plugs with an impedance of 8 to 32 Ohm
Transmitting power	Approx. 10 mW ERP	
Coverage	Up to 200 m (depending on location)	
Microphone	Integrated electret microphone with adjustable sensitivity	
Dimensions	168 x 42 x 25 mm, 138 g	138 x 42 x 25 mm, 72 g

Contact us for further customization i.e additional accessories and company brand labeling.
Further information can be found at www.meder-commtech.com.



Why **MEDER** Guiding Systems?

- Rely on the **No. 1** of voice transmission quality

Only if the voice transmission quality is top the investment fulfill its purpose to raise the satisfaction of the customers.

- Made in **Germany** with 5 years guarantee

You are welcome to visit us in Singen Htwl. and to take a view into our production.

- **Minimal follow-up costs**

Usage of commercial AA batteries. No expensive replacement of special batteries is necessary.

After the guarantee time of five years we offer a cost-efficient repair service.

We offer:

▶ SALES ▶ RENTAL ▶ LEASING

for our High Quality Products **Made in Germany**



MEDER CommTech GmbH

Robert-Bosch-Straße 4
78224 Singen / Htwl.
Germany

Phone: +49 (0) 7731 911 322-0
Telefax: +49 (0) 7731 911 322-99
info@meder-commtech.com
www.meder-commtech.com